

BUILDING IN THE CITY OF CHATTahoochee Hills



YOUR GUIDE TO THE CONSTRUCTION AND PERMIT PROCESS

City of Chattahoochee Hills
6505 Rico Road
Chattahoochee Hills, GA 30268
(770) 463-8881



General Information

Phone 770-463-8881
Fax 770-463-8550
Inspection Line 770-474-9393

Staff

Mike Morton- City Planner 770-463-6578
Email: michael.morton@chatthillsga.us
Kimberly Barnett – Records Clerk 770-463-6566
Email: kimberly.barnett@chatthillsga.us

SAFEbuilt 678-216-0641
Paul Hardy – Building Official (phardy@safebuilt.com)
Wade Kain – Plan Reviewer (wkain@safebuilt.com)
Fax 678-216-0647

Current Codes Observed- as adopted by the Georgia DCA

2012 ICC International Building Code
2012 ICC International Residential Code
2012 ICC International Mechanical Code
2012 ICC International Plumbing Code
2012 ICC International Fuel Gas Code
2012 ICC International Fire Code
2014 National Electrical Code
2012 ICC International Property Maintenance Code
City of Chattahoochee Hills Ordinances

General

1. A permit is required to construct, alter, repair, move, demolish, or to change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any electrical, gas, mechanical or plumbing system, the installation of which is regulated by the appropriate Code or Ordinances of the City of Chattahoochee Hills.
2. Construction documents must be submitted with a completed permit application and approved prior to a permit being issued.
3. Permits for construction shall be issued only if all other regulations and zoning restrictions are complied with as required by the City.
4. An elevation certificate will be required for construction in a floodplain at the time of permit application.
6. Commercial projects may require plans designed by a licensed Georgia Architect and/or Engineer.
7. Construction may **not** commence until all permits have been issued.
8. **Permit holders are responsible for obtaining all required inspections. Please phone 770-474-9393 for inspections or by email to tyroneoffice@safebuilt.com. Inspection request must be received by 4:00pm a day in advance to insure proper inspection coordination. Inspections will be conducted the next regular business day.**
9. All contractors and/or subcontractors are required to be licensed in the State of Georgia as required by O.C.G.A. Title 43.

What you will need to obtain a building permit.

1. Two complete sets of plans will need to be submitted for residential construction and commercial projects. There is also a scope of work sheet that will need to be completed and submitted with residential alteration or addition projects. Construction documents for commercial projects are required to be signed and sealed by the appropriate design professional in accordance with O.C.G.A. Title 43-4 and 43-15 regulating the practice of Architecture, Professional Engineering and Land Surveying.
2. **Site Plan-** must show lot dimensions, building footprint with dimensions, and dimensions from building to property lines and all other buildings on the property.
3. **Foundation Plan-** show footing, foundation walls, beam and pier locations with dimensions. Also show frost walls where applicable.
4. **Floor Plan-** identify and dimension all rooms and include and dimension all doors and windows.
5. **Wall Section-** show typical wall section from footing through roof and label all materials and provide spacing.
6. **Elevations-** provide elevation view of at least two sides, four side views however is preferred.
7. **Framing Plan-** Show framing member layout, size and spacing, bearing points and girder size and span.
8. **Deck Framing Plan-** Complete Figure 7 of the Georgia Prescriptive Deck Detail.
9. Commercial construction may also require civil, structural, electrical, mechanical and plumbing plans, as well as all material specifications to be submitted.
10. Retaining walls greater than 48" in height measured vertically from the footing require a permit and a design from a Registered Georgia Engineer.
11. A copy of the manufacturer's installation instructions is required to be provided for all prefabricated fireplaces.
12. A completed permit application must accompany all construction documents.
13. Cell tower modifications or alterations also require a structural analysis signed and sealed by a Registered Georgia Engineer be provided in addition to construction documents at permit application.
14. Manufacturer's installation instructions are required to be provided for all pre-manufactured swimming pools, hot tubs or spas. A site plan showing location of the pool with dimensions is required for all pool, hot tub or spa permits.
15. Construction trailer permit applications require the submittal of the manufacturer's set-up specifications in addition to a site plan. The trailer shall be adequately supported, anchored and access landing and stair installed prior to electrical connection approval.
16. All suspended slabs are required to be designed by a State of Georgia Registered Engineer.

Required inspections and Scheduling

Please phone the inspection line @ **770-474-9393 for inspections or by email to tyroneoffice@safebuilt.com** to schedule inspections. Once you have connected to the inspection line recording, please leave contact information, permit number, address and type of inspection. All inspections must be scheduled by 4:00 pm the day in advance. Do not proceed with any further work until the required inspections have been conducted and approved.



Below are examples of the required inspections and when to call for them. Some circumstances might require special inspections or other inspections not listed be performed. Please check with the inspector to see if any other inspections are required. The permit card and the approved plans are required to remain on the job site and must be present to receive inspections.

Footing- Once excavation and footing forming is complete and prior to any placement of concrete.

Foundation- Upon completion of all forming and the required steel is in place and prior to any placement of concrete.

Under-Slab Plumbing- After all building drain piping and water piping (if applicable) is complete and the required pressure test is on.

Slab Prep- Once all plumbing is backfilled, turn-down footings and grade beams are excavated, vapor barrier is installed and reinforcement is in place. All chemical soil termite treatment is also done at this time.

Wall Sheathing- The wall sheathing nail off inspection is done prior to installation of the moisture barrier.

Moisture Barrier- The moisture barrier is installed, all joints taped and windows and doors flashed.

Rough Building, Electrical, Mechanical and Plumbing- Once all work is complete, required pressure test is on, and prior to placement of any insulation or drywall. All rough inspections are done at the same time.

Wall or Ceiling Cover- This is done prior to closing walls or ceilings in commercial projects.

Insulation- This is done after all insulation is installed in walls or sloped ceilings prior to drywall. Floors exposed to unfinished areas and blown attics may be done by final.

Suspended Slab- Inspection shall be done after all forming and required steel reinforcement is in place.

Temp. Electric- After meter base, panel or disconnect, mast or underground conduit and or wiring is installed and ready to energize. GFCI outlets and proper grounding must also be in place. Note: all temporary services must be erected and sufficiently braced.

Temp to Perm or Permanent Electrical Service- All electrical must be complete, all circuits landed in the panel and proper grounding installed. Open outlet boxes where lighting fixtures are missing must be capped with wire nuts and blank covers installed on boxes. Burial depths for underground services must be inspected prior to backfilling

Sewer or Water Connection- This inspection, if applicable, is made once all piping is installed and prior to backfilling.


Final- Whenever all construction, final grading, testing or other items are completed and the building is finished and prior to occupancy. All landscaping must also be complete at this time.

Demolition- Once utilities have been disconnected and capped and final grading is completed and site stabilized.


Exhibits

See attached exhibits for plan requirements, Question and answer, egress window requirements, contractor license requirements, commercial plans checklist, decks, sample site plan and wall section and permit applications.


Examples of Plans Required to Obtain a Residential Building Permit




Site Plan: This plan should show the location of the project on the property, dimensions of the footprint of the structure, distances to other building on the property, distances to property lines and the location of the primary structure if this is an addition to an existing building.




Foundation Plan: This plan should show all footings, piers, grade beams, column footings, thickened slab for bearing walls or foundation walls. This plan should also detail all sizes of footings, walls or piers and reinforcement required. Additional detail may be included on the typical wall section.




Typical Wall Section: This plan should detail all materials used to construct the project. Detail shall include framing member sizes and spacing, sheathing type and size, insulation, exterior finish, roofing, header and beam size and foundation detail.




Floor Plan: This plan should show the layout of the rooms, labeling of the rooms and show all window and door locations. Dimensions may be required to determine code compliance.



Framing Plan: This plan should indicate floor joist, ceiling joist or rafter layout. Size of framing members and spacing should also be included. Beam sizes and well as bearing points should also be indicated.



Elevation Views: This plan should show the proposed exterior finished view of the project. For additions, the existing structure shall also be shown.



Deck Framing Plan: This plan is a detail from the Georgia Prescriptive Deck Detail as adopted by the DCA. This figure 7 is required to be completed and submitted for all deck construction. A copy of the PDD may be downloaded from the Georgia DCA website and is required to be on site during construction.

Scope of Work: This is a written description of all work to be done. Please include any mechanical, plumbing or electrical work being done. Also include any work to be to be done in other areas of home during the project if applicable. There is a scope of work sheet that may be obtained and completed.

Requirement for a Licensed Contractor Quick Reference

<u>Work to be done</u>	<u>License Required</u>	<u>Not Required</u>
Residential construction < \$2500		✓
Residential construction > \$2500	✓	
Residential electrical, mechanical or plumbing	✓	
Specialty contractor work such as but not limited to: concrete work, landscaping, painting, drywall, roofing, flooring, door or window installation, insulation, trim work, cabinet and counter installation, siding, masonry work and etc.		✓
Work performed by homeowners on their own property not for sale or lease		✓
Commercial construction < \$2500		✓
Commercial construction > \$2500	✓	
Commercial electrical, mechanical or plumbing	✓	
Commercial work performed by owner for their own use and not for use by the general public and not for sale or lease		✓
Agricultural building construction		✓
Mechanical, electrical and plumbing work conducted by a full-time employee of and institution, manufacturer or business when working on the premises of the employer		✓

This guide is only a quick reference to indicate that a Georgia Licensed Contractor may be required. Please reference O.C.G.A Title 43-14 and 43-41 for complete licensed contractor requirements.

Commercial Permit Checklist

Per O.C.G.A. 43-4-14(b)(3), new or existing assembly occupancies, educational, health care, correctional or detention facilities, hotels, dormitories or lodging facilities, multifamily housing or apartment complexes and care facilities require the plans to be prepared by a State of Georgia licensed Architect. These drawings shall bear the seal and signature of the Architect of record.

_____ 1. THREE COMPLETE PRINTED SETS OF PLANS THAT INCLUDE:

- A. Site Plan
- B. Signed and Sealed Architectural Plans (if applicable) with a code summary
- C. Foundation Plan
- D. Accessibility Plan (if applicable)
- E. Life Safety Plan
- F. Structural Plans
- G. Signed and Sealed Structural Calculations (if required)
- H. Electrical Plans
- I. COMcheck energy compliance worksheets
- J. Mechanical Plans
- K. Plumbing Plans
- L. Fire Protection Plans as required by the Fire Marshall

_____ 2. COMPLETED BUILDING PERMIT APPLICATION

_____ 3. CONTRACTOR LICENSE INFORMATION

All contractors must be licensed in the State of Georgia.

A. Site Plan: Scaled drawing, which shows the size and location of all new construction and all existing structures on the site and the distances from structure(s) to lot lines and to other structures on site.

Specifications: Requirements for submittal vary on how much information is shown on construction drawings.

B. Architectural Plans: Dimensioned plans for each floor that shows room layouts and use of space. Also includes a complete code summary; elevation views; wall sections; schedules for windows, doors and finishes; stair dimension and details, such as riser height, tread width, guard/handrail height and headroom dimension. Include all information used for building height or size increases.

C. Foundation Plans: This plan contains the foundation design, sections, allowable soil bearing pressure, the depth of the foundation and the proposed materials to construct the foundation.

D. Accessibility Plan: Provide a plan that shows all accessible features of building, including routes, both interior and site, entrances and means of egress, areas of refuge, facilities and elevations, hardware, handrail ramps and other requirements for an accessible building per the IBC, ICC/ANSI A 117.1 and Georgia Accessibility Code.

E. Life Safety Plan: Provide a plan that shows egress calculations, occupancy loads and uses for each room, travel distance, exit widths, emergency lighting and exit signs.

F. Structural Plans & Calculations: Typical floor and roof framing plans. The plan(s) size of members to be used, allowable stresses and all the information to erect the joints, beams, rafters, columns or girders within the structure including calculations. A registered engineer must seal all structural plans for pre-engineered buildings. Calculations may be required.

G. Structural Calculations: These must be provided for all telecommunication tower alterations and some building structural alterations to a degree as determined by the plans examiner. These may be required for new construction as well

H. Electrical Plans: Drawn to scale upon suitable material and shall include the location, nature and extent of work proposed, service riser, panel schedule and all other work conforming to the provisions of the NEC.

I. COMcheck: This energy compliance evaluation must be submitted for all new construction or substantial alterations.

J. Mechanical Plans: Location, size and listed/labeled information for all equipment and appliances that comprise parts of the buildings mechanical system. Ventilation and exhaust calculations, schedules, supply and exhaust duct work, chimney termination, materials and any other information required to complete the buildings HVAC System.

K. Plumbing Plans: Includes isometric riser diagrams for potable water supply and the drain waste and vent systems

With the locations and materials specified for all the piping and fixtures within the plumbing system. Also details of special devices (backflow preventer, grease traps, etc.) shall be shown.

L. Fire Protection Plans: When required by the Fire Marshall, the construction documents may include a submission for the suppression system, the fire alarm system, the smoke control system, single/multiple station detectors, standpipes, fire department connections and fire extinguisher(s) size and location.

Permit Requirement Q&A: Do I need a permit?

Often, we receive questions as to what work being done requires a permit. Below are questions and examples of work requiring a permit or exempt from a permit. These are only examples and not all-inclusive of permit requirements. If you have any questions pertaining to a permit requirement, feel free to contact an inspector at 678-216-0641. Permit requirements may differ for commercial projects.

What residential construction work may I do without a permit?

Typically, non-structural repair such as sidewalks and driveways, painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work may be done without a permit. Prefabricated swimming pools that are less than 24 inches (610 mm) deep, swings and other playground equipment are also exempt from requiring a permit.

What residential electrical work may I do without a permit?

Minor repair work, including the replacement of lamps, receptacles, switches, replacement of branch circuit overcurrent devices of the required capacity in the same location or the connection of *approved* portable electrical *equipment* to *approved* permanently installed receptacles may be done without a permit. Also, Electrical wiring, devices, *appliances* or *equipment* operating at less than 25 volts and not capable of supplying more than 50 watts of energy or *listed* cord-and-plug connected temporary decorative lighting may be installed without a permit.

What residential plumbing work may I do without a permit?

The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures, and the removal and reinstallation of water closets, faucets, sinks and lavatories, provided such repairs do not involve or require the replacement or rearrangement of pipes may be done without a permit. Any alteration of the piping system, installation of a new water heater or relocation of existing fixtures would require a permit.

What residential mechanical work may I do without a permit?

The installation of portable cooling units or the replacement of any minor part that does not alter approval of *equipment* or make such *equipment* unsafe may be done without a permit. Replacement of furnaces, air conditioning condenser units or alteration or replacement of duct work would require a permit.

Can I do my own work to my house?

If you currently occupy the home, you may do the work yourself. We highly recommend you contact a licensed contractor if you are not familiar with the work involved. Improperly installed electrical, mechanical or plumbing systems may result in a greater risk of sickness, fire or death. Be sure to protect your family, yourself and your investment.



SECTION R310 EMERGENCY ESCAPE AND RESCUE OPENINGS

R310.1 Emergency escape and rescue required. *Basements*, habitable attics and every sleeping room shall have at least one operable emergency escape and rescue opening. Where *basements* contain one or more sleeping rooms, emergency egress and rescue openings shall be required in each sleeping room. Where emergency escape and rescue openings are provided they shall have a sill height of not more than 44 inches (1118 mm) above the floor. Where a door opening having a threshold below the adjacent ground elevation serves as an emergency escape and rescue opening and is provided with a bulkhead enclosure, the bulkhead enclosure shall comply with Section R310.3. The net clear opening dimensions required by this section shall be obtained by the normal operation of the emergency escape and rescue opening from the inside. Emergency escape and rescue openings with a finished sill height below the adjacent ground elevation shall be provided with a window well in accordance with Section R310.2. Emergency escape and rescue openings shall open directly into a public way, or to a *yard* or court that opens to a public way.

Exception: *Basements* used only to house mechanical *equipment* and not exceeding total floor area of 200 square feet (18.58 m²).

R310.1.1 Minimum opening area. All emergency escape and rescue openings shall have a minimum net clear opening of 5.7 square feet (0.530 m²).

Exception: *Grade* floor openings shall have a minimum net clear opening of 5 square feet (0.465 m²).

R310.1.2 Minimum opening height. The minimum net clear opening height shall be 24 inches (610 mm).

R310.1.3 Minimum opening width. The minimum net clear opening width shall be 20 inches (508 mm).

R310.1.4 Operational constraints. Emergency escape and rescue openings shall be operational from the inside of the room without the use of keys, tools or special knowledge.

R310.2 Window wells. The minimum horizontal area of the window well shall be 9 square feet (0.9 m²), with a minimum horizontal projection and width of 36 inches (914 mm). The area of the window well shall allow the emergency escape and rescue opening to be fully opened.


Exception: The ladder or steps required by Section R310.2.1 shall be permitted to encroach a maximum of 6 inches (152 mm) into the required dimensions of the window well.

R310.2.1 Ladder and steps. Window wells with a vertical depth greater than 44 inches (1118 mm) shall be equipped with a permanently affixed ladder or steps usable with the window in the fully open position. Ladders or steps required by this section shall not be required to comply with Sections R311.7 and R311.8. Ladders or rungs shall have an inside width of at least 12 inches (305 mm), shall project at least 3 inches (76 mm) from the wall and shall be spaced not more than 18 inches (457 mm) on center vertically for the full height of the window well.

R310.3 Bulkhead enclosures. Bulkhead enclosures shall provide direct access to the *basement*. The bulkhead enclosure with the door panels in the fully open position shall provide the minimum net clear opening required by Section R310.1.1. Bulkhead enclosures shall also comply with Section R311.7.8.2.

R310.4 Bars, grilles, covers and screens. Bars, grilles, covers, screens or similar devices are permitted to be placed over emergency escape and rescue openings, bulkhead enclosures, or window wells that serve such openings, provided the minimum net clear opening size complies with Sections R310.1.1 to R310.1.3, and such devices shall be releasable or removable from the inside without the use of a key, tool, special knowledge or force greater than that which is required for normal operation of the escape and rescue opening.


R310.5 Emergency escape windows under decks and porches. Emergency escape windows are allowed to be installed under decks and porches provided the location of the deck allows the emergency escape window to be fully opened and provides a path not less than 36 inches (914 mm) in height to a yard or court.



EGRESS WINDOW OPENING SIZE CHART

Area in Square Feet

(Inches) Height	Width	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
20																				5.69	5.83
21																		5.69	5.83	5.98	6.13
22																5.81	5.96	6.11	6.26	6.42	
23													5.75	5.91	6.07	6.23	6.39	6.55	6.71		
24													5.83	6.00	6.17	6.33	6.50	6.67	6.83	7.00	
25											5.73	5.90	6.08	6.25	6.42	6.60	6.77	6.94	7.12	7.29	
26										5.78	5.96	6.14	6.32	6.50	6.68	6.86	7.04	7.22	7.40	7.58	
27									5.81	6.00	6.19	6.38	6.56	6.75	6.94	7.13	7.31	7.50	7.69	7.88	
28								5.83	6.03	6.22	6.42	6.61	6.81	7.00	7.19	7.39	7.58	7.78	7.97	8.17	
29						5.84	6.04	6.24	6.44	6.65	6.85	7.05	7.25	7.45	7.65	7.85	8.06	8.26	8.46		
30					5.83	6.04	6.25	6.46	6.67	6.88	7.08	7.29	7.50	7.71	7.92	8.13	8.33	8.54	8.75		
31				5.81	6.03	6.24	6.46	6.67	6.89	7.10	7.32	7.53	7.75	7.97	8.18	8.40	8.61	8.83	9.04		
32			5.78	6.00	6.22	6.44	6.67	6.89	7.11	7.33	7.56	7.78	8.00	8.22	8.44	8.67	8.89	9.11	9.33		
33		5.73	5.96	6.19	6.42	6.65	6.88	7.10	7.33	7.56	7.79	8.02	8.25	8.48	8.71	8.94	9.17	9.40	9.63		
34		5.90	6.14	6.38	6.61	6.85	7.08	7.32	7.56	7.79	8.03	8.26	8.50	8.74	8.97	9.21	9.44	9.68	9.92		
35	5.83	6.08	6.32	6.56	6.81	7.05	7.29	7.53	7.78	8.02	8.26	8.51	8.75	8.99	9.24	9.48	9.72	9.97	10.21		
36	6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50		
37	6.17	6.42	6.68	6.94	7.19	7.45	7.71	7.97	8.22	8.48	8.74	8.99	9.25	9.51	9.76	10.02	10.28	10.53	10.79		
38	6.33	6.60	6.86	7.13	7.39	7.65	7.92	8.18	8.44	8.71	8.97	9.24	9.50	9.76	10.03	10.29	10.56	10.82	11.08		



SMOKE ALARMS SAVE LIVES


**MAKE SURE YOUR SMOKE ALARMS PERFORM AS INTENDED
– WHEN YOU NEED THEM THE MOST**

- **TEST** smoke alarms monthly
- Change the **BATTERIES** every year
- Beware of **CHIRPING** smoke alarms – it's time to replace the batteries
- Replace older smoke alarms – **REPLACE** alarms that are more than 10 years old
- Know the **SOUND** of the smoke alarm and what to do if the alarm goes off



**REMEMBER, ONLY WORKING SMOKE
ALARMS CAN SAVE YOUR LIFE!**

SITE PLAN



Complete Your Deck

A framing plan shows a bird's-eye view of the joist and beam layout; the location of the ledger board, diagonal bracing, posts and footings, and the type, size and spacing of the ledger board fasteners. Use the sample typical deck framing plan shown in FIGURE 7 below and the requirements herein to complete your deck.




FIGURE 7: TYPICAL DECK FRAMING PLAN

Building Permit Application

Scope of Work

NAME _____

ADDRESS _____

DATE _____

Check all that apply

Rooms work is to take place in:

- Basement Kitchen Bathroom M. Bath Living rm. M. Bed rm. Bd.Rm.1
 Bd. Rm. 2 Bd. Rm. 3 Bd. Rm. 4 Exterior Other _____

Electric and Mechanical

- | | |
|--|---|
| <input type="checkbox"/> New or upgrade of electric service | <input type="checkbox"/> Adding or replacing electric circuit(s) |
| <input type="checkbox"/> Installing smoke detectors | <input type="checkbox"/> Adding or relocating receptacles or switches |
| <input type="checkbox"/> Installing new furnace | <input type="checkbox"/> Installing new AC condenser |
| <input type="checkbox"/> Installing new fireplace or heating stove | <input type="checkbox"/> New chimney or vent |
| <input type="checkbox"/> Installing bathroom exhaust fan | <input type="checkbox"/> Installing or replacing range hood |
| <input type="checkbox"/> Other _____ | |

Framing

- | | |
|---|--|
| <input type="checkbox"/> New deck, porch, or stairs | <input type="checkbox"/> Replacing deck, porch, stairs or railing |
| <input type="checkbox"/> Addition | <input type="checkbox"/> New attached garage or carport |
| <input type="checkbox"/> Detached garage, carport or storage bldg. | <input type="checkbox"/> New pool, spa or hot tub |
| <input type="checkbox"/> Altering or relocating existing window or door openings to accommodate new window or door | |
| <input type="checkbox"/> Installing or relocating non-load bearing walls | <input type="checkbox"/> Installing or relocating load bearing walls or beams |
| <input type="checkbox"/> Replacing or repairing damaged:
<input type="checkbox"/> floor joist <input type="checkbox"/> stud <input type="checkbox"/> beam <input type="checkbox"/> header <input type="checkbox"/> ceiling joist <input type="checkbox"/> rafters or trusses | |
| <input type="checkbox"/> sheathing | |
| <input type="checkbox"/> Installing new drywall | <input type="checkbox"/> Installing sun room or other pre-manufactured structure |
| <input type="checkbox"/> Other _____ | |

Plumbing

- | | |
|--|---|
| <input type="checkbox"/> Installing or replacing water heater | <input type="checkbox"/> Replacing existing water or DWV piping |
| <input type="checkbox"/> Installing new water or DWV piping | <input type="checkbox"/> Installing or replacing gas piping |
| <input type="checkbox"/> Installing or replacing backflow device | <input type="checkbox"/> Installing new plumbing fixtures |
| <input type="checkbox"/> Relocating existing plumbing fixture(s) | <input type="checkbox"/> Installing new sump pump |
| <input type="checkbox"/> Other _____ | |

Additional Information

Typical Wall Section

